



LT2 Arm Surveillance Platform

[SDR_LT2-FTZPTZA-526.356.4 Advanced Configuration](#)


The SuperDroid Robots LT2-FTZPTZA-526 Surveillance Robot with a removable 6-Axis arm is a medium sized, rugged robot that can be quickly deployed in an emergency. Weighing 93 lbs, this treaded robot can be an instrumental tool in keeping the operator safe while inspecting hazardous situations.

Images shown may not be an exact representation of the robot's features listed in this document




Specifications:

- **Robot:**
 - Enclosed weatherproof chassis
 - Rubber tracks for all terrain navigation
 - Lithium Iron Phosphate (LFP) battery system, 24V 9.6 Ah
 - Speed: 0 to 140 ft. per minute, infinitely adjustable
 - Rear Flipper/Stabilizer Arms - allows the robot to navigate obstacles and act as a stabilizer when ascending stairs
 - Up to 8 hours of runtime
 - Weight: 93lbs
 - Dimensions (L x W x H): 34 x 19 x 24 inches (arm stowed)
 - Ground clearance: 2 inches
 - Easily removable batteries





- **6-Axis arm**
 - Removable arm for improved versatility
 - Vertical reach: 61 inches. Horizontal reach: 48"
 - Arm payload: 15 lbs. fully extended
 - Base rotation: 400 degrees
 - Shoulder rotation: 190 degrees
 - Elbow rotation: 270 degrees
 - Wrist: continuous rotation and +/- 90 degrees tilt (180 total)
 - Parallel Finger Gripper: 4.5" opening with 65lb squeeze force
- **Camera system**
 - Primary 30X zoom tilt camera embedded in the nose of the robot with high intensity LED light
 - Gripper IR camera
 - Rear view/backup IR camera.
 - Removable rear mounted perspective PTZ camera with 30x optical zoom, CREE LED spotlight, and tactical laser pointer.
- **Operator Control Unit (OCU)**
 - Rugged Pelican case style enclosure with Microsoft Surface Pro 12" touch screen tablet
 - 2.4GHz high power digital radios
 - Lithium-ion battery, 11.1V 10Ah
 - Integrated joysticks to intuitively control drive, cameras, flipper arms, and manipulator
 - Two modes of control (cartesian and joint) for easy manipulator control with preset positions
 - Preset positions for flipper/stabilizer arms for stowing and climbing stairs
 - 2-way audio
 - Quad view camera display (switch between cameras, split screen, or all cameras in quad view)
 - Advanced kinematic modeling and collision detection – see a 3D model of the robot with the current position of the arm and flipper arms with collision warnings.
 - Video recording and image snapshots
- **Battery Charging** - The smart chargers are fully automatic and will charge all the batteries simultaneously with a single 115VAC plug (230 VAC also available upon request).
- **NIST Qualified Design** – Outperformed competition at National Institute of Standards and Technology event
- **EOD Ready** – Mounting for Carbon Fire 10 Disruptor included.
- **Ethernet Jacks** – Ethernet jacks are included in OCU and Robot for connection of 4G routers or ethernet tether.
- **Store and protect** – Reusable foam lined transport case
- **Unlimited Technical Support**
- **Training Video and PDF Operation Manual**






Available Options and Upgrades:

- **Repeaters and monitoring stations** – Repeaters and monitoring stations are available to significantly increase the robot's operating range and/or assist second entry teams.
- **Camera** – We offer many camera configurations and options. We can supply Full HD systems or thermal imaging systems.
- **Removable Release Hitch** – A removable remotely operated release hitch can be added to tow stop strips and cables and release them.
- **HAZMAT sensors** – MultiRAE gas sensors including radiation detection integrated into OCU
- **Additional Battery Packs** – 24V 9.6 Ah robot battery system and 11.1V control battery
- **Arm tools/accessories:**
 - Window piercer/tire puncture tool
 - Hook/object puller
 - Wire cutter
- **Carbon Fire 10 Disruptor** – A complete Carbon Fire 10 Disruptor Kit with the CFI Initiator for direct and easy mounting to multi-axis arm (for EOD capable/qualified departments).
- **Paint Color** – The robot is painted with a durable epoxy with textured finish. Standard colors: Desert Tan or Black. Custom colors available upon request.
- **Additional Customization** – Further customizations are available upon request. All robots are designed and built to order in-house.

Applications:

- **EOD Disposal** – The multi-axis arm allows for easy manipulation in the environment and can deliver or dispose of ordnances at a safe range for the operator. The LT2 Arm can be equipped with a mount for a Carbon Fire 10 Disruptor. Disruptor can also be supplied to qualified EOD Departments.
- **Climbing Obstacles** – With the attached flipper arms, this robot can climb almost any obstacle up to 24" and ascend stairs. The robot can also self-right if it gets turned over.
- **Hostage and hazardous surveillance** – Survey hostile/hazardous situations while staying out of harm's way.
- **Clearing rooms remotely** – Clear rooms and buildings remotely with audio and video surveillance.
- **Opening Doors** – With the multi-axis arm, things like doors will no longer stop you from surveying potentially dangerous locations.





Pricing

1. Available upon request.
2. 1 year warranty included.

Standard Payment Terms:

1. Payment by check, money order or wire transfer is accepted.
2. Listed price based on 60% Due ARO, remainder prior to shipment.

Delivery

1. Procurement of materials, assembly and testing is required
2. Lead time is typically 8-14 weeks
3. Shipping cost FOB Fuquay Varina, NC

General Terms

1. SuperDroid Robots, Inc is not responsible for special incidental or consequential damages resulting from any warranty or under any legal theory, including, but not limited to lost profits, downtime, goodwill, damage to, or replacement equipment or property, or any cost of recovering, reprogramming, or reproducing any data stored. ANY LIABILITY SHALL BE LIMITED TO REPLACEMENT OF DEFECTIVE PARTS. SuperDroid Robots, Inc. is further not responsible for any personal damages, including, but not limited to bodily and health damages resulting from any use of our products.
2. SuperDroid Robots, Inc. makes no representations as to the fitness of its products for specific uses. ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE IS HEREBY EXCLUDED.
3. Agreements shall be construed in accordance with the laws of the State of North Carolina, and the rights and obligations created hereby shall be governed by the laws of North Carolina.
4. In the event a dispute or controversy arises, such dispute or controversy (including claims of default) shall be brought in the courts of Wake County, North Carolina and the plaintiff hereby agrees to this choice of venue.

Warranty

1. SuperDroid Robots will repair any manufacturing defects for 1 years after shipment. Damage from abuse or neglect will not be covered. Any shipping costs are the responsibility of the purchaser.
2. Unlimited technical support.
3. Consumable items will not be covered by the warranty. Consumable items include, but are not limited to treads, chains, bearings, wheels, and batteries.
4. Extended warranties, spare parts, and maintenance training is available, contact us with specific needs. Service agreements are also available.

